

Caliber	Bullet Weight	Powder Brand	Powder Type	Powder Charge	Velocity	OAL
9MM	124	Vihtavouri	3N37	6.000	1150	1.030
40 S&W	150	Vihtavouri	3N37	7.000	1200	
.223	79	Hodgdon	H4895	23.200	2730	2.240
.308	175	Hodgdon	H4895	40.900	2590	2.800
.30-06	175	Hodgdon	H4895	45.000	2450	3.300
.300 Win Mag	175	Hodgdon	H1000	79.000	3000	3.340
.300 Win Mag	200	Hodgdon	H1000	75.300	2875	3.340
.300 Win Mag	200	Hodgdon	Hybrid 100V	66.500	2875	3.340
.300 WSM	175	Hodgdon	Hybrid 100V	64.000		2.860

### **.30-06 Springfield**

Bullet Diameter	Bullet Weight	BC	Twist
0.308	175	0.497	9,10,11
Distance (yards)	Velocity	Energy	Drop from boreline
0	2450	2332	0.000
50	2365	2172	-0.700
100	2281	2022	-3.000
150	2199	1879	-7.000
200	2119	1745	-12.700
250	2041	1619	-20.400
300	1965	1500	-30.100
350	1890	1388	-42.100
400	1817	1283	-56.600
450	1746	1185	-73.700
500	1677	1092	-93.600
550	1610	1007	-116.600
600	1546	929	-143.000
650	1485	857	-172.900
700	1426	790	-206.900

750	1370	729	-245.100
800	1318	675	-287.900
850	1269	626	-335.700
900	1224	582	-389.000
950	1182	543	-448.000
1000	1145	509	-513.200

**.300 Winchester Magnum**

<b>Bullet Diameter</b>	<b>Bullet Weight</b>	<b>BC</b>	<b>Twist</b>
0.308	175	0.497	9,10,11
<b>Distance (yards)</b>	<b>Velocity</b>	<b>Energy</b>	<b>Drop from boreline</b>
0	2875	3670	0.000
50	2795	3469	-0.500
100	2717	3277	-2.200
150	2640	3094	-5.000
200	2564	2919	-9.000
250	2490	2753	-14.400
300	2417	2593	-21.200
350	2345	2441	-29.500
400	2274	2296	-39.300
450	2205	2158	-50.800
500	2136	2027	-64.200
550	2070	1902	-79.400
600	2004	1783	-96.600
650	1940	1671	-116.000
700	1877	1564	-137.700
750	1815	1463	-161.900
800	1755	1367	-188.700
850	1695	1276	-218.400
900	1638	1191	-251.000

950	1582	1112	-287.000
1000	1529	1038	-326.300

**.300 Winchester Magnum**

<b>Bullet Diameter</b>	<b>Bullet Weight</b>	<b>BC</b>	<b>Twist</b>
0.308	200	0.585	9,10,11
<b>Distance (yards)</b>	<b>Velocity</b>	<b>Energy</b>	<b>Drop from boreline</b>
0	2875	3670	0.000
50	2795	3469	-0.500
100	2717	3277	-2.200
150	2640	3094	-5.000
200	2564	2919	-9.000
250	2490	2753	-14.400
300	2417	2593	-21.200
350	2345	2441	-29.500
400	2274	2296	-39.300
450	2205	2158	-50.800
500	2136	2027	-64.200
550	2070	1902	-79.400
600	2004	1783	-96.600
650	1940	1671	-116.000
700	1877	1564	-137.700
750	1815	1463	-161.900
800	1755	1367	-188.700
850	1695	1276	-218.400
900	1638	1191	-251.000
950	1582	1112	-287.000
1000	1529	1038	-326.300

**.308 Winchester**

<b>Bullet Diameter</b>	<b>Bullet Weight</b>	<b>BC</b>	<b>Twist</b>
0.308	175	0.497	9,10,11
<b>Distance (yards)</b>	<b>Velocity</b>	<b>Energy</b>	<b>Drop from boreline</b>
0	2600	2626	0.000
50	2512	2452	-0.600
100	2426	2286	-2.700
150	2341	2129	-6.200
200	2258	1980	-11.200
250	2176	1840	-18.000
300	2097	1708	-26.600
350	2019	1584	-37.200
400	1944	1467	-50.000
450	1869	1358	-65.000
500	1797	1255	-82.500
550	1726	1158	-102.700
600	1658	1068	-125.800
650	1592	984	-152.100
700	1529	908	-181.800
750	1468	837	-215.200
800	1410	772	-252.700
850	1355	713	-294.500
900	1304	660	-341.000
950	1256	613	-392.700
1000	1212	571	-449.900